	Application No.	Applicant(s)
Notice of Allowability	09/976,080	BLACK, GERALD R.
	Examiner	Art Unit
	Duy M. Dang	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2/8/06</u> .		
2. X The allowed claim(s) is/are <u>20-56</u> .		
<ul> <li>3.</li></ul>		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 🗆 0 (1 )	(0.70, 450)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		atent Application (PTO-152) (PTO-413).
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	e
Paper No./Mail Date	, —	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's Stateme	Duy M. Dang Patent Examiner

Application/Control Number: 09/976,080

Art Unit: 2627

1. The terminal disclaimer filed on 2/8/06 disclaiming the terminal portion of any patent

Page 2

granted on this application which would extend beyond the expiration date of USPN 6,539,101

and 6.307.956 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Thus, the double patenting rejections of claims 20-56 have been withdrawn.

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Duy M. Dang whose telephone number is 571-272-7389. The

examiner can normally be reached on Monday to Friday from 6:00AM to 2:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Matthew C. Bella can be reached on 571-272-7778. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dmd

3/06

Duy M. Dang

Patent Examiner